

Rubber Traffic System



Page 1 (R6)



Rubber Traffic System

Introduction:

The ABC Rubber Traffic System is a proprietary traffic protection system developed for providing effective road and vehicle safety measure. The system consists of the speed bumper, corner guard, curved bumper guard and parking curb.

The speed bumper works by slowing down the vehicle speed with an upslope surface with optional reflective sheet available upon request. The corner guard, curved bumper guard and parking curb are designed to be installed around the parking bay for protection of wall and vehicle.


Made with heavy loading recycled rubber, the system is suitable for durable application. The material is not only good for offering the best safety features but also creates less waste.

Designed to comply with the technical specification requirement for most of the Hong Kong projects, all models can be used across different fields including governments, public and private institutes, hotels and commercial buildings.



Rubber Traffic System

The product specification - Speed Bumper



Speed bumper Technical data:

♦ Material : Recycled rubber

♦ Colour : Center stepper - Alternated bright Yellow and Black

End cap - Yellow / Black

♦ Loading: Up to 30 ton

♦ Surface : Rubber tread

→ Fixing: Anchor bolt (Center to center = 250mm)

♦ Standard dimension :

(Model: ABC-CWP-RH-50/250) Center stepper - 350mm(w) x 50mm(H) x 250mm(L)

End cap - 350mm(w) x 50 mm (H) x 175mm(L)

(Model : ABC-CWP-RH-50/500)Center stepper - 430mm(w) x 50mm (H) x 500mm(L)

End cap - 430mm(w) x 50mm (H) x 220mm(L)

(Model: ABC-CWP-RH-75/500) Center stepper - 500mm(w) x 75mm (H) x 500mm(L)

End cap - 500mm(w) x 75mm (H) x 250mm(L)

♦ Optional : Reflective sheet

** Surface pattern is for reference only

10% deviations may apply to the dimensions

All pictures shown are for illustration purpose only. Actual product may vary.

Page 3

Email: info@aubuild.com.au

Speed

Bumper



Rubber Traffic System

The product specification - Corner Guard

Corner guard:



Material : Recycled rubber

♦ Colour : Alternated bright Yellow and Black

→ Bumping impact : High

Standard dimension : /

■ 800mm x 100mm x 10mm(T), Model : ABC – CWP – CG – 10/100-800

■ 1200mm x 100mm x 10mm(T), Model: ABC – CWP – CG – 10/100-1200

■ 600mm x 150mm x 50mm(T), Model: ABC – CWP – CG – 50/150-600

Surface : Rubber tread

→ Fixing: S.S. screw (Center to center = 360mm)

All pictures shown are for illustration purpose only. Actual product may vary.

Page 4



Rubber Traffic System

The product specification - Parking Curb

Parking Curb: (Model: ABC-CWP-PC-100/560)



Material : Recycled rubber

♦ Colour : Alternated bright Yellow and Black

♦ Bumping impact : High

Standard dimension: 160mm(w) x 100mm(H) x 560mm(L)

Surface : Rubber tread

→ Fixing: Anchor bolt (Center to center = 250mm)

All pictures shown are for illustration purpose only. Actual product may vary.

Page 5



Rubber Traffic System

The product specification -Parking Curb

Parking Curb: (Model: ABC-CWP-PC-100/1830)



♦ Material : Recycled rubber

♦ Colour : Alternated bright Yellow and Black

♦ Bumping impact : High

♦ Standard dimension : 1830mm(L) x 150mm(W) x 100mm(H)

♦ Surface : Rubber tread

→ Fixing: Anchor bolt (Center to center = 250mm)

All pictures shown are for illustration purpose only. Actual product may vary.


Page 6



Rubber Traffic System

The product specification

Curved Bumper Guard: (Model: ABC-CWP-CBG-25/200)



♦ Material : Recycled rubber

♦ Colour : Alternated bright Yellow and Black

♦ Bumping impact : High

Standard dimension : 25mm(T) x 200mm(H) x 1000mm(L)

♦ Surface : Rubber tread

→ Fixing: Anchor bolt (Center to center = 250mm)

All pictures shown are for illustration purpose only. Actual product may vary.

Page 7



Rubber Traffic System

The product specification

Bumper Guard: (Model: ABC-CWP-BG-50/200)



♦ Material : Recycled rubber

♦ Colour : Alternated bright Yellow and Black

♦ Bumping impact : High

♦ Standard dimension :

■ 50mm(T) x 200mm(H) x 1000mm(L)

♦ Surface : Rubber tread

→ Fixing: Anchor bolt (Center to center = 250mm)

All pictures shown are for illustration purpose only. Actual product may vary.

Page 8



Rubber Traffic System

The product specification

Bumper Guard: (Model: ABC-CWP-BG-100/200)



♦ Material : Recycled rubber

♦ Colour : Alternated bright Yellow and Black

♦ Bumping impact : High

♦ Standard dimension : 100mm(T) x 200mm(H) x 1000mm(L)

♦ Surface : Rubber tread

→ Fixing : Anchor bolt

All pictures shown are for illustration purpose only. Actual product may vary.

Page 9

(End)